

	1	
۵	ĭ	1
-	4	
	,	,
7	Ξ	5
-		
	4	
į	3	;
i		5
Ļ	į	
	2	
ļ		
ž	=	5
ò	ī	_
10000	1	
7	7	
٠	•	•




Fig. 5

ORIGINAL IMAGE

1200 PIXELS × 1200 PIXELS \
RGB COLOR
JPEG IMAGE FORMAT




Fig. 6

IMAGE FOR PC11

600 PIXELS x 600 PIXELS
RGB COLOR
JPEG IMAGE FORMAT
INSCRIPTION TRIMMING



Fig. 7

IMAGE FOR PT31

64 PIXELS x 64 PIXELS
DITHER AND 256 COLORS
PNG IMAGE FORMAT
INSCRIPTION TRIMMING



Fig. 8

IMAGE FOR PS21

1240 PIXELS x 1754 PIXELS CMY COLOR
JPEG IMAGE FORMAT
CIRCUMSCRIPTION TRIMMING





Fig. 9

IMAGE FOR FS00

1488 PIXELS x 2105 PIXELS NO DITHER AND GRAY LEVEL TIFF IMAGE FORMAT CIRCUMSCRIPTION TRIMMING






Fig. 11

PORTABLE TELEPHONE SET 32




Fig. 12




Fig. 13




Fig. 14






Fig. 15





Hotomo, acourage

Fig. 17




Fig. 18




Fig. 19




Fig. 20




Fig. 21



Fig. 22




Fig. 23





Fig. 24



Lohoso soozzaeo

SUPPORT INFORMATION TABLE

	<u>_</u>	—	<u> </u>	r=	—	_	[—	_	<u> </u>	ı=	<u> </u>	2	7	2	7	~	က	က	က	7	-	_		=	—	-	4	2	—	9	-
IMAGE FORMAT	FORMAT	FORMAT	FORMAT	FORMAT	FORMAT	FORMAT	FORMAT	FORMAT	FORMAT	FORMAT	FORMAT	FORMAT	FORMAT	FORMAT	FORMAT	FORMAT	FORMAT	FORMAT	FORMAT	FORMAT	FORMAT	FORMAT	FORMAT	FORMAT	FORMAT	FORMAT	FORMAT	FORMAT	FORMAT	FORMAT	FORMAT
DITHER PROCESSING	_	1	1	ŧ	-	_		YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	-	-	t		-		NO	YES	NO	ON	CN
GAMMA CORRECTION	NO	NO	ON	GAMMA 1	GAMMA 1	GAMMA 1	ON	NO	Q.	ON	ON	GAMMA 2	GAMMA 2	GAMMA 3	GAMMA 2	0	GAMMA 3	GAMMA 2	ON		GAMMA 4	GAMMA 4	GAMMA 4	GAMMA 5	GAMMA 5	GAMMA 5	NO	GAMMA 6	NO	ON	CIN
COLOR DEPTH (8:8:8	8:8:8	8:8:8	8:8:8	8:8:8 C	8:8:8	8:8:8		_	4:4:2 N	<u> </u>			4:4:2 C	וֹ	É	4:4:2 C) ;	<u>د</u>	٠	8:8:8	9:8:8 	8:8:8	8:8:8	8:8:8	8:8:8	<u>ا</u>	2:2:2	_		-
COLOR (RGB 8	RGB 8	RGB 8	RGB	RGB	RGB 8	RGB	B/W	B/W	RGB 4	B/W	B/W	GRAY 2	RGB '	GRAY (B/W	RGB '	GRAY 2	GRAY 2	B/W	CMY	CMY	CMY	CMY 1	CMY 1	CMY	B/W	CMY	B/W	В/W	% α
OUTPUT RESOLUTION	1	1									1)	1			-) .									600dpi	600dpi	150dpi	180dpi	
TRIMMING	INSCRIPTION -	780 × 560 INSCRIPTION	NSCRIPTION -	NSCRIPTION -	768 × 548 INSCRIPTION	500 × 362 INSCRIPTION -	400 × 300 INSCRIPTION -	160 × 120 INSCRIPTION -	DISPLAY 640 × 240 INSCRIPTION	640 × 240 INSCRIPTION	640 × 240 INSCRIPTION -	INSCRIPTION -	INSCRIPTION -	INSCRIPTION -	INSCRIPTION -	INSCRIPTION -	INSCRIPTION -	DISPLAY 114 × 102 INSCRIPTION	INSCRIPTION -	INSCRIPTION -	CIRCUMSCRIPTION 300dpi	CIRCUMSCRIPTION [600dpi	CIRCUMSCRIPTION 150dpi	CIRCUMSCRIPTION 300dpi	CIRCUMSCRIPTION 600dpi	CIRCUMSCRIPTION 150dpi	INSCRIPTION 6	INSCRIPTION	INSCRIPTION	INSCRIPTION	NOLLDIGUSNI
OUTPUT	1 009 × 008	780 × 560 II	DISPLAY 640 × 480 INSCRIPTION	DISPLAY 788 × 588 INSCRIPTION	768 × 548 I	500 × 362 I	400 × 300 I		640 × 240	640 × 240 I	640 × 240		DISPLAY 112 x 94 1	78 × 64	88 × 62	_		114×102	96 × 84	78×62	A5 (A5	A5	Ye	A5	A5	A4	A3	A4	A4	Γ
OUTPUT TYPE	DISPLAY	DISPLAY	DISPLAY	DISPLAY	DISPLAY	DISPLAY	DISPLAY	DISPLAY	DISPLAY	DISPLAY	DISPLAY	DISPLAY 98 × 64	DISPLAY	DISPLAY	DISPLAY	DISPLAY	DISPLAY 96 × 84	DISPLAY	DISPLAY	DISPLAY	PAPER	PAPER	PAPER	PAPER	PAPER	PAPER	PAPER	PAPER	PAPER	PAPER	CA X RE VA IGNIA
REQUEST	_		Ī.						ļ	,	,	-	123	_	-		_	-	_		45	_	_			_		-	_	_	 -
SUPPORT REQUEST	PRESENCE -	PRESENCE -	PRESENCE -	PRESENCE	PRESENCE	PRESENCE	PRESENCE	ABSENCE	ABSENCE	ABSENCE	ABSENCE	PRESENCE	R200	PRESENCE	PRESENCE	PRESENCE	PRESENCE	PRESENCE	PRESENCE	PRESENCE	R200	ABSENCE	ABSENCE	PRESENCE	PRESENCE	PRESENCE	ABSENCE	ABSENCE	PRESENCE	ABSENCE	SUNSSEED
HEADER	BA	88		BA BA	88	_		_	A100	B200	1	A501K		C501K	D501K	1	A02	B02	_	-	LY.	00/B	_	FL7000	FL9000	-	-	_	_	FAX	
HEADER 1 HEADER	Cherry			Bamboo				Plum	Pine			K-Style					MyPhone			-	P_Thermo			P_Exposure FI			P_Laser	P_Inc	P	_	
TYPE	Browser-a	Browser-b	STANDARD	Browser-a	_	STANDARD	STANDARD			PDA-2-b	STANDARD	SP-1-a	SP-1-b	SP-1-c	SP-1-d	STANDARD	SP-2-a	SP-2-b	STANDARD	STANDARD		TA-b	STANDARD	FLP-a	FLP-b	STANDARD	STANDARD PLaser	STANDARD	STANDARD	STANDARD	CTANDADO
SYSTEM	ij 1-so	1		0S-2				PDA-1(PORTABLE STANDARD INFORMATION TERMINAL)	PDA-2(PORTABLE	INFORMATION TERMINAL) PDA-2-b		1		TELEPHONE SET)			-2	(PORTABLE	TELEPHONE SET)	STANDARD	RINTER			THERMAL PRINTER			LASER PRINTER	NTER	STANDARD	STANDARD	STANDARD
ACCESS DEVICE) od							PORTABLE													PRINT SERVER										
CLIENT	PC11	PC12	PC10	PC21	PC22	PC20	PC00	PT10	PT21	PT22	PT20	PT31	PT32	PT33	PT34	PT30	PT41	PT42	PT40	PT00	PS11	PS12	PS10	PS21	PS22	PS20	PS30	PS40	PS00	FS00	DEOD

Fig. 26

